



IJPPR

INTERNATIONAL JOURNAL OF PHARMACY & PHARMACEUTICAL RESEARCH
An official Publication of Human Journals

ISSN 2349-7203



Human Journals

Review Article

January 2020 Vol.:17, Issue:2

© All rights are reserved by PRADNYA NILESH JAGTAP et al.

A Comprehensive Review on Polycystic Ovary Syndrome (PCOS)

	<p>IJPPR INTERNATIONAL JOURNAL OF PHARMACY & PHARMACEUTICAL RESEARCH An official Publication of Human Journals</p>	
<p>PRADNYA NILESH JAGTAP*, SAYALI SUNIL CHAVAN, PRANESH PANDURANG MEMANE, RAVINDRA Y.PATIL</p> <p><i>Department of Pharmacology, PDEA'S Seth Govind Raghunath Sabale College of Pharmacy, Saswad, Pune 412301</i></p> <p>Submission: 25 December 2019 Accepted: 31 December 2019 Published: 30 January 2020</p>		



HUMAN JOURNALS

www.ijppr.humanjournals.com

Keywords: PCOS, Chronic anovulation, hyperandrogenism, Herbal remedy

ABSTRACT

PCOS is a condition that can affect your periods, fertility, hormones and aspects of your appearance. It can also affect your long-term health. Estimates of how many women it affects vary widely from 2 to 26 in every 100 women [5]. Infertility due to polycystic ovarian syndrome (PCOS) is a worldwide problem that is increasing at alarming rates. It is characterized by polycystic ovaries, chronic anovulation, and hyperandrogenism leading to symptoms of irregular menstrual cycles, hirsutism, acne, and infertility. Insulin resistance and elevated levels of male hormones (androgens) are associated with PCOS. The sedentary lifestyle, dietary variations, lack of exercise and stress, etc., are also the contributory factors [9]. Hormonal disturbances, such as hyper-androgenisms, are considered important for developing polycystic ovary syndrome (PCOS) in humans. Accordingly, directly hormone-regulated animal models are widely used for studying PCOS, as they replicate several key PCOS features [4]. The objective of this study was to review the therapeutic potential of herbal remedies and different animal models used for the PCOS.

INTRODUCTION

Polycystic ovarian syndrome (PCOS) remains one of the leading endocrine disorders encountered by women of reproductive age with the prevalence between 5% and 10%. The polycystic ovary syndrome (PCOS) is a hyperandrogenic disorder associated with chronic oligo-anovulation and polycystic ovarian morphology. It is often associated with psychological impairments, including depression and other mood disorders and metabolic derangements, chiefly insulin resistance and compensatory hyperinsulinemia, which is recognized as a major factor responsible for altered androgen production and metabolism [3].

The reproductive system is essential to keep a species alive and improve breeding and to maintain the fertility and to lessen the adverse effect of medications, herbal plants are excellent substitute to chemical medications, solitary of the main cause for this is little side effect compared to medications, because their scavenging free radicals properties they decrease medications toxicity, furthermore, the herbal plants have capable role in management of numerous diseases which affect on efficacy of reproductive system like Polycystic ovary with least adverse effects, to improve immunity of the body and also standardize menstrual cycle without changeable in hormonal level [11].




Figure no. 1: Polycystic Ovarian Syndrome [29].

PCOS is also a metabolic syndrome and patients may be predisposed to diabetes type 2, cardiovascular and inflammatory diseases, together with endometrial dysfunction. The evaluation of all this evidence and the relations cannot be done by using clinical trials or working on patient samples. Therefore, several animal models have been designed and developed to evaluate different aspects of the etiology and pathophysiology of PCOS. During recent years, due to the development of knowledge about this syndrome and also the

detection of new predisposing factors for PCOS as well as PCOS itself as risk factors for other metabolic diseases, the need to design new animal models becomes apparent. Therefore, this review focuses on current animal models that have been used to study PCOS and describes and assess methods of establishing PCOS-like animal models in the future [2].

- **Causes of PCOS:**

- ✓ Testosterone is a hormone that is produced in small amounts by the ovaries in all women. Women with PCOS have slightly higher than normal levels of testosterone and this is associated with many of the symptoms of the condition.

- ✓ Insulin is a hormone that controls the level of glucose (a type of sugar) in the blood. Women with PCOS, may not respond to insulin (this is known as insulin resistance), so the level of glucose is higher. To try to prevent glucose levels from becoming higher, the body produces even more insulin. High levels of insulin can lead to weight gain, irregular periods, fertility problems and higher levels of testosterone [5].

- **Symptoms of PCOS:**

- ✓ Irregular periods or no periods at all.

- ✓ An increase in facial or body hair (hirsutism).

- ✓ Loss of hair on your head.

- ✓ Being overweight, experiencing a rapid increase in weight or having difficulty losing weight.

- ✓ Oily skin, acne.

- ✓ Difficulty becoming pregnant (reduced fertility) [5].

ANIMAL MODELS OF PCOS:

Various animal models have been developed and studied for human polycystic ovary syndrome (PCOS) for more than 60 years. However, the etiology of PCOS is still unclear because of its complex manifestation as a syndrome and limitations of translational studies using animals [4]. Most commonly used animal models are explained below:




Figure no. 2: Animal models of PCOS.

1. Androgen (Prenatal) Model:

Prenatal androgen (PNA) treatment in sheep and monkeys results in multiple metabolic and reproductive abnormalities. In monkeys, daily subcutaneous injections of 15 mg of testosterone propionate for 40-80 days gestation are needed to induce the syndrome. In ewes, an injection of 100 mg of testosterone propionate twice a week for 60 days between days 30 and 90 of the 147-day pregnancy result in the ovarian abnormalities. In both models, the abnormalities mirror the symptoms found in women with PCOS^[14]. These models produce a long-lasting effect in the female offspring mimicking many similar features of PCOS in humans. However, ewes and monkeys incur a large financial commitment for a long gestational period. However, it is noted that although PA monkeys exhibit hyperandrogenemia, the increases are not as extreme as in PCOS women 0.3-0.4 ng/mL (~50-100% elevation above normal); PCOS women, 0.5-0.7 ng/mL (~70-200% elevation above normal) and that although anovulation observed in PNA monkeys, its prevalence is also significantly less than that of PCOS women (PA monkeys: ~40%; PCOS women ~90%)^[3].

2. Androgen (Pre-pubertal) Model:

This model exploits the association of elevated androgen levels during puberty and PCOS. Immature rats (approximately 21 days old) are treated for 7-35 days with ~100 µg/day testosterone propionate or dihydrotestosterone. Similar to the PNA animal models, prepubertal androgen (PPA) animal models of PCOS utilize a unique window where administration of exogenous androgens results in permanent damage to the ovarian tissue and

recapitulated the hallmark symptoms of PCOS in an animal model. PPA model shows many similar features to PCOS in women except for the hallmark increase in basal LH levels. This model is reliant on artificial hyperandrogenemia and therefore does not help identify abnormalities upstream of hyperandrogenemia [3].

3. Letrozole induced Model:

Aromatase is the key enzyme that converts T and androstenedione into E₂ and estrone, respectively. It is widely expressed in human tissues, such as placenta, ovary, and testis. Decreased aromatase activity in the ovary is one of the pathophysiologic hypotheses of PCOS development [17]. Letrozole is a nonsteroidal aromatase inhibitor that reduces the conversion of androgens to estrogens in the ovary, resulting in increased T and decreased E₂ production. Excess T in the ovaries is likely to cause polycystic ovaries directly in the letrozole-treated rat. The reduction in estrogen weakens the negative feedback on LH production in the pituitary, resulting in increased LH levels, which further stimulates theca cells to secrete T. Typically, 6-week-old female rats (puberty) are administered letrozole orally at doses of 0.1, 0.5, and 1.0 mg/kg daily for 21 days, after which they become acyclic, with histological and biochemical features of human PCOS [11].

4. Dehydroepiandrosterone (DHEA):

Dehydroepiandrosterone is the first androgen to rise in the female peripubertal period. It has been demonstrated that nearly 50% of follicular synthesized T can be derived from circulating DHEA, and 25% of patients with PCOS demonstrate supranormal circulating DHEA concentrations [26]. Immature rats or mice (approximately 21-22 days old) are treated with daily s.c. DHEA injections (rats; 6 mg/100 g body weight, mice 6 mg/kg body weight) for 15-20 days. This dose of DHEA is sufficient to induce a hyperandrogenism state similar to that in PCOS women. This model is also reliant on artificial hyperandrogenemia and does not help identify abnormalities upstream of hyperandrogenemia [15].

5. Estradiol:

Estradiol valerate (EV) is a long-acting estrogen and on an administration that causes hypothalamic-pituitary dysregulation of GnRH, resulting in improper release and storage of LH. Luteinizing hormone is considered a key pathogenic factor in the development of PCOS.

A single dose of EV (2 mg) to the young adult cyclic rat induces anovulation and polycystic ovaries within 8 weeks ^[1].

HERBAL REMEDIES FOR PCOS:

1. Gymnema:



Figure no. 3: Gymnema ^[30].

Common Name: Gymnema, Gudmar.

Biological Name: *Gymnema sylvestre*

Family: Asclepiadaceae

Biological Source: *Gymnema sylvestre* is a perennial woody vine native to tropical Asia, China, the Arabian Peninsula, Africa, and Australia ^[28].

It has various pharmacological effects like antidiabetic, hypoglycemic, and lipid-lowering effects ^[9]. The individual administration of *Gymnema sylvestre* increases insulin sensitivity, decreases insulin resistance and also decreases the androgen production and the added benefits of reducing the elevated triglycerides associated with PCOS ^[16].

2. Licorice:



Figure No. 4: Licorice ^[31].

Common Name: Jethi-made, Kubas- susa, Jethimadh, Mithilakkdi.

Biological Name: *Glycyrrhiza glabra*

Family: Leguminosae

Biological Source: It is an herbaceous perennial legume native to the Middle East, Southern Europe, and parts of Asia, such as India [28].

It has antibacterial, antifungal, antiviral and antihyperglycemic properties [17]. Somjen et al. reported the effects on vascular tissues in vitro and in vivo of two natural compounds derived from liquorice root: glabridin, the major isoflavone, and glabrene, an isoflavone, both demonstrated estrogen-like activities. liquiritigenin a selective estrogen receptor ligand might be one of the bioactive compounds responsible for weight reduction. Other compounds glabridin and glabrene have shown the effect on weight reduction in vivo [9].

3. Shy plant:



Figure No. 5: Shy Plant [32].

Common Name: Shy plant, Lajalu, Sleepy plant, Touch-me-not.

Biological Name: *Mimosa pudica*

Family: Mimosaceae

Biological Source: The species is native to South and Central America but is now a pantropical weed, and can be found in Southern United States, South Asia, East Asia, and South Africa as well [28].

Mimosa pudica significantly reduced histopathological changes in the ovary and endocrinological and biochemical changes induced by hyperandrogenism. Thus *Mimosa*

pudica was found to have a good potential to be a very good alternative therapy in the treatment of PCOS [9].

4. Flaxseed :



Figure No. 6: Flaxseed [33].

Common Name: Common Flax, Linseed.

Biological Name: *Linum usitatissimum*.

Family: Linaceae.

Biological Source: It is food and fiber crops cultivated in cooler regions of the world [28].

Flaxseed, a food generally renowned for its omega-3 fatty acid content, also is one of the richest sources of dietary lignan, having levels that are 800-fold over that of most other foods, (Thompson, 1995). Prior studies on the use of flaxseed or isolated lignan suggest that it may decrease androgen levels and normalize lipid levels [22].

5. Fenugreek:



Figure No. 7: Fenugreek [34].

Common Name: Methi, Methika, Fenegreek, Menthiyam, etc.

Biological Name: *Trigonella foenum-graecum*

Family: Fabaceae

Biological Source: It is cultivated worldwide as a semiarid crop [28].

The seeds of fenugreek have been reported to have anti-diabetic and hypocholesterolemic effects in both animal models and humans [23]. Fenugreek is enriched in furostanolic saponins (Furocyst), the trial was conducted in female subjects suffering from PCOS over 90 consecutive days. 94% of patients responded positively to the treatment and significant improvement in the menstrual cycle was also observed following Furocyst treatment resulted in a significant reduction in both ovary volume and ovarian cyst. Also, significant increases in LH and FSH were observed following Furocyst treatment. 12% of the study population got pregnant. Approximately 46% of the study population showed a reduction in cyst size, while 36% of subjects showed complete dissolution of the cyst. No significant adverse effects were observed [9].

6. Coconut:



Figure No. 8: Coconut [35].

Common Name: Coconut, coco,coco-da-bahia, coconut of the beach.

Biological Name: *Cocus nucifera*

Family: Arecaceae

Biological Source: The plant is originally from Southeast Asia. Fruit of coconut plant is believed to have been brought to India then to East Africa [28].

Flowers in reducing the major multiple symptoms of letrozole-induced PCOS in female rats. Histological findings of the treated groups indicated that the extract of *C. nucifera* may bring down the active levels of hormones, such as FSH and LH, to normal levels, and that may be the reason for the recovery from experimentally induced polycystic ovaries [27].

7. Turmeric:



Figure No. 9: Turmeric ^[36].

Common Name: Halodhi, Haldu, Haldar, Haldi.

Biological Name: *Curcuma longa*

Family: Zingiberaceae

Biological Source: The plant is perennial, a rhizomatous herbaceous plant native to the Indian subcontinent and Southeast Asia ^[28].

Curcumin restored the hormone and lipid profile, antioxidant and glycemic status, as well as ovarian morphology in Letrozole, induced PCOS animals. Decreased progesterone levels are also indicative of anovulation and curcumin successfully restores the ovulation. The study suggests that the effects may be attributed to its multiple pharmacological activities like estrogenic, antihyperlipidemic, antioxidant and hypoglycemic effects which could be useful in managing PCOS conditions and prevent ovarian cell dysfunction, ovulation and thereby improving fertility ^[9].

8. Maca:



Figure No. 10: Maca ^[37].

Common Name: Ayak chichira, Ayuk Willku.

Biological Name: *Lepidium meyenii*

Family: Brassicaceae

Biological Source: Native to South America in the high Andes mountains of Peru [28].

Maca resulted in lowering both E2 and PRG, lowering Cortisol and ACTH levels in the ovariectomized rats [25].

9. Cinnamon:



Figure No. 11: Cinnamon [38].

Common Name: Cassia.

Biological Name: *Cinnamomum zeylanicum*

Family: Lauraceae

Biological Source: Cinnamon is the evergreen tree of tropical area, is considered to be native of Sri Lanka and Malabar Coasts of India. It is also found in Jamaica and Brazil [28].

Cinnamon has insulin potentiating properties. Cinnamon is reported to contain polyphenols and procyanidins. This compound regulates the insulin-stimulated glucose uptake and glycogen synthesis. A pilot study conducted in fifteen women with PCOS and then fasting and oral glucose tolerance test values were measured. The cinnamon extract improved insulin sensitivity in women with PCOS [9].

10. Pomegranate:



Figure No. 12: Pomegranate [39].

Common Name: Anar.

Biological Name: *Punica granatum*

Family: Punicaceae

Biological Source: Pomegranate is native to a region of modern-day Iran to Northern India [28].

The effect of pomegranate extract in the management of PCOS was performed in adult rats using the control and PCOS group. The concentration of serum estrogen, free testosterone and androstanoins hormone levels in the experimental group was monitored. The study suggests the beneficial effect of pomegranate extract on hormonal imbalances of the polycystic ovarian syndrome [9].

SUMMARY

Polycystic ovarian syndrome (PCOS) remains one of the leading endocrine disorders encountered by women of reproductive age with the prevalence between 5% and 10%. There has been special attention to medicinal plants since ancient times and today, with numerous studies performed, worthwhile and beneficial medicinal plants are discovered.

In this review, an attempt has been done to summarize some important animal models and medicinal plants for the treatment of PCOS.

REFERENCES

1. Danni shi and Donna F. Vine. "Animal models of polycystic ovary syndrome: a focused review of rodent models in relationship to clinical phenotypes and cardiometabolic risk", fertility and sterility vol. 98; 2012; 185:193.

2. Amin Tamadon, Wei Hu¹, Peng Cui¹, Tong Ma, Xiaoyu Tong, Feifei Zhang, Xin Li, Linus R. Shao and Yi Feng, "A review on- How to choose the suitable animal model of polycystic ovary syndrome?", *Traditional Medicine and Modern Medicine* Vol. 1, No. 2 (2018) 95–113.
3. Oliver Oakley, Po-Ching Lin, Phillip Bridges, CheMyong Ko, "A review on- Animal Models for the Study of Polycystic Ovarian Syndrome", *Endocrinol Metab* 26(3):193-202.
4. Youngjae Ryu, Sung Woo Kim, Yoon Young Kim and Seung-Yup Ku, "Animal Models for Human Polycystic Ovary Syndrome (PCOS) Focused on the Use of Indirect Hormonal Perturbations: A Review of the Literature", *International journal of molecular sciences*, 2019, 20; 1-27.
5. Royal college of Obstetricians and gynaecologists, "Polycystic ovary syndrome: what it means for your long-term health", *Health and care information you can trust*, 2015; 1-5.
6. E Scott Sills, Mark Perloe, Michael J Tucker, Carolyn R Kalpan, Marc Geores Genton, and Glenn L Schattman, "A Research article on- Diagnostic and treatment characteristics of polycystic ovary syndrome: descriptive measurements of patient perception and awareness from 657 confidential self-reports", *BMC Women's center*, This article is available from <http://www.biomedcentral.com/1472-6874>.
7. Julian H. Barth, Ephraim Yasmin and Adam H. Balen, "A review article on- The diagnosis of polycystic ovary syndrome: the criteria are insufficiently robust for clinical research", *Clinical Endocrinology* (2007) 67, 811–815.
8. Renato Pasquali, Elisabet Stener-Victorin, Bulent O. Yildiz, Antoni J. Duleba, Kathleen Hoeger, Helen Mason, Roy Homburg, Theresa Hickey, Steve Franks, Juha S. Tapanainen, Adam Balen, David H. Abbott, Evanthia Diamanti-Kandarakis and Richard S. Legro, "PCOS Forum: research in polycystic ovary syndrome today and tomorrow", *Clinical Endocrinology* (2011) 74, 424–433.
9. By Baby T, Smitha Rani, Remya K, Shebina P Rasheed, and Azeem AK, "Polycystic ovarian syndrome: Therapeutic potential of herbal remedies- A review", *International Journal of Herbal Medicine* 2016; 4(5): 91-96.
10. Mamata Jadhav¹, Sasikumar Menon, Sunita Shailajan, "A research article on- Anti-androgenic effect of *Symplocos racemosa* Roxb. against letrozole induced polycystic ovary using rat model", *Journal of Coastal Life Medicine* 2013; 1(4): 309-314.
11. Ali A. Ali and Huda F. Hasan, "A research article on- A comparative Between the Effects of *Glycyrrhiza glabra* Roots", *Journal of Natural Sciences Research*, Vol.6, No.18, 2016; 83-96.
12. Dr. R. Devaki, "Preclinical evaluation of Siddha poly-herbal formulation "ashuwathi chooranam" for its naturally curing pcos- A thesis"; 1-157.
13. Hasan Kafali, Mehmet Iriadam, Ilyas Ozardali, and Nurettin Demir, "A research article on- Letrozole-Induced Polycystic Ovaries in the rat: A new model for cystic ovarian disease", *Archives of medical research* 35 (2004); 103-108.
14. Fahimeh Ramezani Tehrani, Mahsa Noroozadeh, Saleh Zahedias, Abbas Piryaee, and Fereidoun Azizi, "A research article on- Introducing a rat model of prenatal androgen-induced polycystic ovary syndrome in adulthood", *Experimental Physiology* 99.5 (2014); 792–801.
15. Kavitha A, Narendra Babu A, Sathish Kumar M, Veena Kiran S, "A research article on Evaluation of effects of *Commiphora Wightii* in Dehydroepiandrosterone (Dhea) induced Polycystic Ovary Syndrome (Pcos) In Rats", *PharmaTutor* Vol. 4, Issue 1; 47-55.
16. Sudhakar P, Suganeswari M, Poorana Pushkalai S, HariPriya S, "A research article on- Regulation of Estrous cycle using Combination of *Gymnema Sylvestre* and *Pergularia daemia* in Estradiol Valerate induced PCOS rats", *Asian Journal of Research in Pharmaceutical Sciences*. 8(1): January- March 2018; 4-8.
17. Hyun Yang, Hye Jin Kim, Bo-Jeong Pyun, Hye Won Lee, "A research article on- Licorice ethanol extract improves symptoms of polycystic ovary syndrome in Letrozole-induced female rats", *Integrative Medicine Research* 7 (2018); 264-270.
18. P. Sushma Reddy, Nazia Begum, Sumith Mutha, Vasudha Bakshi, "A research article on- Beneficial effect of curcumin in Letrozole induced polycystic ovary syndrome", *Asian Pacific Journal of Reproduction* 2016; 5(2): 116-122.
19. Ji-Hun Jung, Hyun Tae Park, Tak Kim, Moon Jin Jeong, Sung Chul Lim, Seung Yeol Nah, Ik-Hyun Cho, Soo Hyun Park, Seong Soo Kang, Chang Jong Moon, Jong Choon Kim, Sung Ho Kim, and Chun Sik Bael, "A

research article on- Therapeutic Effect of Korean Red Ginseng Extract on Infertility Caused by Polycystic Ovaries”, Journal of Ginseng Research Vol. 35, No. 2, (2011): 250-255.

20. Radha Maharjan, Padamnabhi S. Nagar, Laxmipriya Nampoothiri, "A research article on- Effect of Aloe barbadensis Mill. the formulation on Letrozole induced polycystic ovarian syndrome rat model", Journal of Ayurveda & Integrative Medicine, Vol 1, Issue 4, (2010): 273-279.

21. Murside Ayse Demirel, Mert Illhan, Ipeak Suntar, Hikmet Keles, Esra Kupeli Akkol, "A research article on- Activity of Corylus avellana seed oil in letrozole-induced polycystic ovary syndrome model in rats”, Brazilian Journal of Pharmacognosy Revista Brasileira de Farmacognosia 26 (2016): 83-88.

22. Debra A. Nowak, RN, BSNa, Denise C. Snyder, MS, RDa, Ann J. Brown, MD, MHSb, and Wendy Demark-Wahnefried, "A research article on- The Effect of Flaxseed Supplementation on Hormonal Levels Associated with Polycystic Ovarian Syndrome: A Case Study", Curr Top Nutraceutical Res. 2007; 5(4): 177–181.

23. Maryam Hassanzadeh Bashtiana, Seyed Ahmad Emamib, Nezhat Mousavifarc, Habib Allah Esmailyd, Mahmoud Mahmoudie, and Amir Hooshang Mohammad Poorf, "A research article on- Evaluation of Fenugreek (Trigonella foenum-graceum L.), Effects Seeds Extract on Insulin Resistance in Women with Polycystic Ovarian Syndrome", Iranian Journal of Pharmaceutical Research (2013), 12 (2): 475-481.

24. Sara Rooney, Dr. Barbara Pendry, "Phytotherapy for Polycystic Ovarian Syndrome: A review of the literature and evaluation of practitioners’ experiences”, an accepted manuscript; 1-40.

25. H. O. Meissner, P. Mrozikiewicz, T. Bobkiewicz-Kozłowska, A. Mscisz, B. Kedzia, A. Lowicka, H. Reich-Bilinska, W. Kapczynski, I. Barchia, "A research article on- Hormone-Balancing Effect of Pre-Gelatinized Organic Maca (Lepidium peruvianum Chacon): (I) Biochemical and Pharmacodynamic Study on Maca using Clinical Laboratory Model on Ovariectomized Rats", International Journal of Biomedical science; 260-272.

26. Eisner JR, Dumesic DA, Kemnitz JW, Colman RJ, Abbott, "A research article on- Increased adiposity in female rhesus monkeys exposed to androgen excess durin early gestation”, Obes Res (2003): 279-286.

27. Soumya V, Muzib YI, Venkatesh P, Hariprasath K, GCMS. Analysis of Cocus nucifera flower extract and its effects on heterogeneous symptoms of polycystic ovarian disease in female Wistar rats. Chin J Nat Med. 2014; 12(9):0677-0684.

28. Available from www.wikipedia.com, 13/01/2020.

29. Available From: <https://images.app.goo.gl/aJLHEYF3tXttW3fTA>, 13/01/2020.

30. Available From: <https://images.app.goo.gl/bzVfhVc5nWUeSbBQ6>, 13/01/2020.

31. Available From: <https://images.app.goo.gl/eSmyYHzqUhKY7NCH7>, 13/01/2020.

32. Available From: <https://images.app.goo.gl/Cjmuz5cG2UiScsYG6>, 13/01/2020.

33. Available From: <https://images.app.goo.gl/nZMRi4xmxA4Qiwtd7>, 13/01/2020.

34. Available From: <https://images.app.goo.gl/ut7a6Bmbv915cJD1A>, 13/01/2020.

35. Available From: <https://images.app.goo.gl/Xtj2zPApig4eTekS9>, 13/01/2020.

36. Available From: <https://images.app.goo.gl/EoAgQT3HcGReTr3L7>, 13/01/2020.

37. Available From: <https://images.app.goo.gl/ocqVxrfbvj244SkWA>, 13/01/2020.

38. Available From: <https://images.app.goo.gl/K8YF9xERV5VwbqQA>, 13/01/2020.

39. Available From: <https://images.app.goo.gl/rMzhZgm9QqmfisVe7>, 13/01/2020.