International Journal of Pharmacy and Pharmaceutical Research (IJPPR)
Volume 32, Issue 6, June 2026 **ijppr.humanjournals.com** ISSN: 2349-7203

Herbal Therapeutics in Migraine Trigger Modulation: A Review

A. Krishna Sree, K.Nithish Kumar Goud, *Dr.Pallavi Kamarapu

Geethanjali college of Pharmacy, Cheeryal, Telangana-501301 India.

Received: 12 May 2026 Revised: 05 June 2026 Accepted: 15 June 2026

ABSTRACT

Migraine is a chronic neurovascular disorder characterized by recurrent episodes of moderate to severe headache accompanied by nausea, photophobia, and phonophobia. The condition involves complex interactions between neuronal, vascular, and inflammatory pathways, with multiple internal and external factors acting as triggers. Although conventional pharmacological therapies provide symptomatic relief, their prolonged use is often associated with adverse effects and reduced patient compliance. Recent research has shifted focus toward identifying and modulating migraine triggers rather than solely treating symptoms. In this context, herbal therapeutics have gained attention due to their multi-targeted pharmacological actions, including anti-inflammatory, antioxidant, neuroprotective, and stress-modulating effects. Several medicinal plants have been evaluated in clinical and preclinical studies for their potential role in migraine management. This review critically analyzes evidence-based literature on herbal drugs and their role in migraine trigger modulation. The findings suggest that herbal medicines may contribute to reducing migraine frequency and severity by targeting mechanisms such as neurogenic inflammation, oxidative stress, vascular dysfunction, and central sensitization. However, further standardized clinical investigations are required to validate their safety and therapeutic efficacy.

Keywords: Herbal Therapeutics, Migraine Trigger Modulation

INTRODUCTION

Migraine is one of the most prevalent neurological disorders worldwide, significantly affecting quality of life and daily productivity. It is a multifactorial condition involving complex neurovascular mechanisms, including activation of the trigeminovascular system, release of inflammatory mediators, and alterations in cerebral blood flow [1,2]. Various triggers such as stress, hormonal imbalance, dietary factors, sleep disturbances, and environmental stimuli are known to initiate migraine episodes [3,4].

Conventional treatment strategies primarily focus on symptomatic relief through the use of analgesics, non-steroidal anti-inflammatory drugs, and triptans. While these therapies are effective in acute management, their prolonged use may lead to adverse effects and reduced therapeutic response [5]. Therefore, there is an increasing need for safer and more sustainable approaches that address the underlying triggers of migraine.

Herbal medicines have been traditionally used for headache disorders and are now being extensively studied for their pharmacological properties. These agents contain multiple bioactive compounds that act through mechanisms such as inhibition of inflammatory pathways, reduction of oxidative stress, modulation of neurotransmitter activity, and regulation of stress responses [6,].

Evidence-Based Herbal Therapeutics

Feverfew (Tanacetum parthenium) — Vogler BK et al., 1998

Feverfew is widely studied for migraine prevention. Its active compound parthenolide inhibits prostaglandin synthesis and modulates serotonin release, thereby reducing neurogenic inflammation. Clinical studies suggest a reduction in migraine frequency with regular use. [7]



Figure 1: Feverfew (Tanacetum parthenium) — a medicinal herb known for its anti-inflammatory properties and potential role in reducing migraine frequency through modulation of neurogenic inflammation.

Butterbur (Petasites hybridus) — Lipton RB et al., 2004.

Butterbur has demonstrated strong clinical evidence in migraine prophylaxis. The active constituents, petasin and isopetasin, exhibit vasodilatory and anti-inflammatory properties, which are crucial in regulating cerebral blood flow. Randomized controlled trials have reported a significant reduction in migraine frequency with butterbur extract compared to placebo. Its mechanism is believed to involve inhibition of leukotriene synthesis and modulation of smooth muscle contraction. However, safety concerns related to pyrrolizidine alkaloids necessitate the use of purified and standardized extracts. [8]



Figure 2: Butterbur (Petasites hybridus) — a herb containing petasin compounds that may help in migraine prevention by reducing inflammation and regulating vascular responses.

Ginger (Zingiber officinale) — Maghbooli M et al., 2014

Ginger is widely recognized for its anti-inflammatory and antiemetic properties. The bioactive compounds, including gingerols and shogaols, inhibit cyclooxygenase and lipoxygenase pathways, thereby reducing the production of inflammatory mediators. Clinical evidence suggests that ginger may be comparable to conventional medications in reducing migraine severity, particularly in mild to moderate cases. It is also effective in alleviating associated symptoms such as nausea and vomiting, which are common during migraine episodes. [9]



Figure 3: Ginger (Zingiber officinale) — a widely used medicinal plant with anti-inflammatory and antiemetic properties, supporting migraine symptom relief.

Peppermint (Mentha piperita) — Göbel H et al., 1996

Peppermint oil, rich in menthol, has been studied for its topical analgesic effects in headache management. Menthol activates cold-sensitive receptors, producing a cooling sensation that can reduce pain perception. It also promotes local vasodilation and improves blood circulation, which may contribute to relief from migraine symptoms. Clinical studies have shown that topical application of peppermint oil can significantly reduce headache intensity within a short duration. [10]



Figure 4: Peppermint (Mentha piperita) — a menthol-rich herb providing analgesic and cooling effects, which may help reduce headache intensity.

Lavender (Lavandula angustifolia) — Sasannejad P et al., 2012

Lavender is known for its calming and anxiolytic properties, which play a significant role in stress-related migraine triggers. Inhalation of lavender essential oil has been shown to reduce migraine severity and duration in clinical studies. The mechanism is believed to involve modulation of the central nervous system and reduction of sympathetic activity. Its ability to promote relaxation makes it particularly beneficial in patients with stress-induced migraine episodes. [11]



Figure 5: Lavender (Lavandula angustifolia) — an aromatic herb with anxiolytic properties that may support migraine management by reducing stress-related triggers.

Turmeric (Curcuma longa) — Hewlings SJ et al., 2017

Curcumin, the principal active compound of turmeric, exhibits potent anti-inflammatory and antioxidant activities. It modulates various molecular targets, including cytokines, transcription factors, and enzymes involved in inflammatory pathways. In migraine, curcumin may help reduce oxidative stress and neuroinflammation, which are key contributors to disease progression. Its neuroprotective properties further support its potential role in migraine management. [12]



Figure 6: Turmeric (Curcuma longa) — a bioactive herb containing curcumin, known for its antioxidant and anti-inflammatory effects in migraine modulation.

Chamomile (Matricaria recutita) — McKay DL et al., 2006

Chamomile contains flavonoids such as apigenin, which possess mild sedative and anti-inflammatory effects. These properties may help in reducing the severity of migraine symptoms, especially those triggered by stress and anxiety. Chamomile also promotes relaxation and may improve sleep quality, indirectly contributing to the prevention of migraine attacks. [13]



Figure 7: Chamomile (Matricaria recutita) — a medicinal herb with mild sedative and anti-inflammatory properties, supporting relaxation and symptom relief.

Coriander (Coriandrum sativum) — Laribi B et al., 2015

Coriander is known for its antioxidant and anti-inflammatory properties, primarily due to the presence of linalool and other phytochemicals. These compounds help reduce oxidative stress, which is considered a significant factor in migraine pathogenesis. Although clinical evidence is limited, its pharmacological profile suggests potential benefits in supporting migraine management. [14]



Figure 8: Coriander (Coriandrum sativum) — an herb with antioxidant properties that may help reduce oxidative stress associated with migraine triggers.

Ginkgo (Ginkgo biloba) — Usai S et al., 2011

Ginkgo biloba has been studied for its neuroprotective and vasoregulatory effects. It improves cerebral blood flow and inhibits platelet-activating factor, which may contribute to reduced migraine aura frequency. Its antioxidant activity further supports its role in protecting neuronal cells from oxidative damage associated with migraine. [15]



Figure 9: Ginkgo (Ginkgo biloba) — a neuroprotective plant known to improve cerebral blood flow and potentially reduce migraine aura frequency.

Ashwagandha (Withania somnifera) — Chandrasekhar K et al., 2012

Ashwagandha is an adaptogenic herb that helps the body cope with stress, a major trigger for migraine. Clinical studies have shown that it reduces cortisol levels and improves overall stress resilience. By modulating the hypothalamic-pituitary-adrenal (HPA) axis, it may help in reducing the frequency of stress-induced migraine attacks. [16]



Figure 10: Ashwagandha (Withania somnifera) — an adaptogenic herb that may reduce stress and cortisol levels, helping control migraine trigger

Brahmi (Bacopa monnieri) — Stough C et al., 2001.

Brahmi is widely used for its cognitive-enhancing and neuroprotective properties. It has been shown to improve memory, reduce anxiety, and support neuronal function. These effects may contribute to stabilizing neurological pathways involved in migraine, thereby reducing susceptibility to triggers. [17]



Figure 11: Brahmi (Bacopa monnieri) — a neuroprotective herb that supports cognitive function and may help stabilize neurological pathways in migraine.

Valerian (Valeriana officinalis) — Bent S et al., 2006

Valerian is commonly used as a natural sedative and sleep aid. It enhances GABAergic activity in the brain, promoting relaxation and improving sleep quality. Since sleep disturbances are a known migraine trigger, valerian may indirectly support migraine management by addressing this underlying factor. [18]



Figure 12: Valerian (Valeriana officinalis) — a medicinal plant with sedative properties that may improve sleep quality and reduce stress-induced migraine triggers.

Additional Herbal Drugs in Migraine Trigger Modulation

Herb	Key Compound	Mechanism	Role
Holy Basil (Ocimum sanctum)	Eugenol	Adaptogenic, anti- stress	Reduces oxidative stress [19]
Lemon Balm (Melissa officinalis)	Citral, Rosmarinic acid	CNS calming	Reduces anxiety-related migraine [20]
Clove (Syzygium aromaticum)	Eugenol	Analgesic , anti-inflammatory	Pain relief [21]
Fennel (Foeniculum vulgare)	Anethole	Hormonal modulation	Helpful in menstrual migraine [22]
Rosemary (Rosmarinus officinalis)	Rosmarinic acid	Anti-inflammatory, antioxidant	Reduces oxidative stress [23]
Black Pepper (Piper nigrum)	Piperine	Enhances bioavailability	Improves herb absorption [24]
Green Tea (Camellia sinensis)	Catechins	Antioxidant	Reduces oxidative damage [25]
Nutmeg (Myristica fragrans)	Myristicin	Mild sedative	Reduces stress triggers [26]
Aloe Vera (Aloe barbadensis)	Aloin	Anti-inflammatory	Supports inflammation control [27]
Cinnamon (Cinnamomum verum)	Cinnamaldehyde	Improves circulation	Reduces vascular imbalance [28]

Conclusion

This review highlights the significant potential of herbal therapeutics in the supportive management of migraine through modulation of key triggering pathways. Evidence suggests that medicinal plants possess pharmacological activities such as anti-inflammatory, antioxidant, neuroprotective, and stress-reducing effects, which are closely linked to migraine pathophysiology.

Unlike conventional therapies that primarily provide symptomatic relief, herbal medicines offer a multi-targeted approach addressing underlying triggers. However, limitations such as lack of standardization and insufficient large-scale clinical validation remain challenges.

Overall, herbal drugs do not directly cure migraine but may play a crucial role in supporting migraine trigger modulation. Future research focusing on standardized formulations and clinical validation is essential.

REFERENCES

1. Goadsby PJ, Holland PR, Martins-Oliveira M, Hoffmann J, Schankin C, Akerman S. Pathophysiology of migraine. Physiol Rev. 2017;97(2):553–622.
2. Pietrobon D, Moskowitz MA. Pathophysiology of migraine. Annu Rev Physiol. 2013;75:365–391.
3. Kelman L. The triggers or precipitants of migraine. Cephalalgia. 2007;27(5):394–402.
4. Finocchi C, Sivori G. Food as trigger and treatment of migraine. Neurol Sci. 2012;33(Suppl 1):S77–S80.
5. Lipton RB, Bigal ME. Migraine: epidemiology, burden, and comorbidity. Neurol Clin. 2009;27(2):321–334.
6. Ernst E, Pittler MH. Herbal medicine for migraine: a systematic review. Cephalalgia. 2000;20(2):89–93.
7. Vogler BK, Pittler MH, Ernst E. Feverfew as a preventive treatment for migraine: a systematic review. Cephalalgia. 1998;18(10):704–708.
8. Lipton RB, Göbel H, Einhäupl KM, Wilks K, Mauskop A. Petasites hybridus root extract for migraine prevention: a randomized controlled trial. Neurology. 2004;63(12):2240–2244.
9. Maghbooli M, Golipour F, Moghimi Esfandabadi A, Yousefi M. Comparison of the efficacy of ginger and sumatriptan in the treatment of migraine. Phytother Res. 2014;28(3):412–415.
10. Göbel H, Schmidt G, Soyka D. Effect of peppermint oil in the treatment of tension-type headache. Cephalalgia. 1996;16(6):436–439.
11. Sasannejad P, Saeedi M, Shoeibi A, Gorji A, Abbasi M. Lavender essential oil in the treatment of migraine headache: a placebo-controlled clinical trial. Eur Neurol. 2012;67(5):288–291.
12. Hewlings SJ, Kalman DS. Curcumin: a review of its effects on human health. Foods. 2017;6(10):92.
13. McKay DL, Blumberg JB. A review of the bioactivity and potential health benefits of chamomile tea (Matricaria recutita L.). Phytother Res. 2006;20(7):519–530.
14. Laribi B, Kouki K, M'Hamdi M, Bettaieb T. Coriander (Coriandrum sativum L.) and its bioactive constituents. J Food Sci. 2015;80(6):R1231–R1240.

15. Usai S, Grazzi L, Bussone G. Gingkolide B as migraine preventive therapy in young patients. Neurol Sci. 2011;32(Suppl 1):S161–S164.
16. Chandrasekhar K, Kapoor J, Anishetty S. A prospective, randomized double-blind study of safety and efficacy of ashwagandha extract in reducing stress and anxiety. Indian J Psychol Med. 2012;34(3):255–262.
17. Stough C, Lloyd J, Clarke J, Downey LA, Hutchison CW, Rodgers T, Nathan PJ. The chronic effects of Bacopa monnieri on cognitive function. Psychopharmacology. 2001;156(4):481–484.
18. Bent S, Padula A, Moore D, Patterson M, Mehling W. Valerian for sleep: a systematic review and meta-analysis. Am J Med. 2006;119(12):1005–1012.
19. Cohen MM. Tulsi – Ocimum sanctum: A herb for all reasons. J Ayurveda Integr Med. 2014;5(4):251–259.
20. Shakeri A, Sahebkar A, Javadi B. Melissa officinalis: A review of its traditional uses and pharmacology. J Ethnopharmacol. 2016;188:204–228.
21. Cortés-Rojas DF, de Souza CRF, Oliveira WP. Clove (Syzygium aromaticum): A review of bioactive compounds. Asian Pac J Trop Biomed. 2014;4(2):90–96.
22. Rather MA, Dar BA, Sofi SN, Bhat BA, Qurishi MA. Foeniculum vulgare: A comprehensive review. Arab J Chem. 2016;9:S1574–S1583.
23. Borrás-Linares I, Stojanović Z, Quirantes-Piné R, Arráez-Román D, Švarc-Gajić J, Fernández-Gutiérrez A, Segura-Carretero A. Rosmarinus officinalis: Review. Ind Crops Prod. 2014;59:234–253.
24. Srinivasan K. Black pepper and its pungent principle piperine: A review. Crit Rev Food Sci Nutr. 2007;47(8):735–748.
25. Cabrera C, Artacho R, Giménez R. Beneficial effects of green tea. J Am Coll Nutr. 2006;25(2):79–99.
26. Zhang Y, Li Q, Xin H, et al. Nutmeg: Chemical composition and pharmacology. J Food Drug Anal. 2015;23(2):325–335.
27. Surjushe A, Vasani R, Saple DG. Aloe vera: A short review. Indian J Dermatol. 2008;53(4):163–166.
28. Ranasinghe P, Pigera S, Premakumara GAS, et al. Medicinal properties of cinnamon. BMC Complement Altern Med. 2013;13:275.

How to cite this article:
Dr.Pallavi Kamarapu et al. Ijppr.Human, 2026; Vol. 32 (6): 705-712

Conflict of Interest Statement: All authors have nothing else to disclose.

This is an open access article under the terms of the Creative Commons Attribution-NonCommercial-NoDerivs License, which permits use and distribution in any medium, provided the original work is properly cited, the use is non-commercial and no modifications or adaptations are made.

	Corresponding Author- **Dr.Pallavi Kamarapu**. Associate Professor Department of Pharmacognosy Geethanjali college of Pharmacy Cheeryal
Image **Author -1**	**A. Krishna Sree** Geethanjali college of Pharmacy Cheeryal
Image **Author -2**	**K.Nithish Kumar Goud** Geethanjali college of Pharmacy Cheeryal