International Journal of Pharmacy and Pharmaceutical Research (IJPPR)
Volume 32, Issue 11, November 2026 ijppr.humanjournals.com ISSN: 2349-7203

Clinical Efficacy and Mechanistic Insights of Acupressure Therapy in Modern Healthcare: A Comprehensive Review

Praveen Pandey*[1], Pramod Kumar Mishra[2], Sujeet Pratap Singh[3], Dr. Tarkeshwar Prasad Shukla[4]

[1]. Student of Bachelor of Pharmacy, SCPM College Of Pharmacy, Gonda 271003, Uttar Pradesh. India.
[2]. Assistant Professor Department of pharmaceutics, SCPM College Of Pharmacy, Gonda 271003, Uttar Pradesh. India.
[3]. Assistant Professor Department of pharmaceutics, SCPM College Of Pharmacy, Gonda 271003, Uttar Pradesh. India.
[4]. Principal and Prof., Department of pharmaceutics, SCPM College Of Pharmacy, Gonda 271003, Uttar Pradesh. India.

Received: 09 September 2026 Revised: 25 September 2026 Accepted: 11 October 2026

ABSTRACT

Acupressure is a non-invasive therapeutic modality rooted in Traditional Chinese Medicine (TCM) that involves the application of physical pressure to specific anatomical points (acupoints) across the body. This review provides a comprehensive evaluation of the clinical efficacy, physiological mechanisms, and therapeutic applications of acupressure in contemporary healthcare systems. Emerging evidence underscores its utility in alleviating chronic pain, mitigating chemotherapy-induced nausea, reducing anxiety, and improving sleep quality. Mechanistically, acupressure is postulated to stimulate peripheral nerves, thereby modulating neurochemical pathways, promoting endorphin release, and regulating the autonomic nervous system. While clinical trials demonstrate promising outcomes, methodology heterogeneity across studies presents a challenge for universal clinical standardization. This article synthesizes current randomized controlled trials (RCTs) and mechanistic studies to clarify the biomedical potential of acupressure as an evidence-based complementary therapy.

Keywords: Acupressure, Acupoints, Complementary Medicine, Pain Management, Endorphins, Neurochemical Pathways.

1. INTRODUCTION

In recent decades, modern healthcare has increasingly integrated complementary and alternative medicine (CAM) to address the multi-dimensional nature of chronic illnesses and treatment side effects. Among these interventions, acupressure therapy stands out as a prominent, cost-effective, and safe non-invasive modality. Derived from the ancient tenets of Traditional Chinese Medicine (TCM), acupressure operates on the principle that the body's vital energy, or 'Qi', flows through specific pathways known as meridians. Physical obstruction or imbalance in this energy flow is believed to precipitate pathological states. By applying physical pressure via fingers, thumbs, or specialized devices to precise cutaneous sites termed acupoints, practitioners aim to clear blockages, restore homeostatic equilibrium, and stimulate the body's intrinsic self-healing mechanisms.

While historical frameworks attribute the therapeutic effects of acupressure to metaphysical energy flows, modern biomedical research seeks to translate these clinical phenomena into neurophysiological and biochemical substrates. Clinical investigations have steadily expanded, evaluating acupressure's role across diverse domains, including oncology, neurology, cardiology, and palliative care. This review synthesizes current scientific literature, exploring the biological underpinnings, clinical indications, and methodological challenges associated with contemporary acupressure research.

2. PHYSIOLOGICAL MECHANISMS OF ACTION

The physiological framework explaining acupressure bridges peripheral tactile stimulation with central neurochemical regulation. Unlike invasive acupuncture, acupressure relies on mechanical transduction to stimulate specific mechanoreceptors (such as Meissner's and Pacinian corpuscles) located within the dermal and subdermal layers at acupoints. The primary mechanisms validated by recent biochemical and neuroimaging studies include:

2.1 Neurochemical and Endorphin Modulation mechanical stimulation of acupoints transmits afferent signals via A-beta and A-delta nerve fibers to the spinal cord. This pathway triggers the activation of the endogenous opioid system, inducing the synthesis and systemic release of beta-endorphins, enkephalins, and dynorphins. These endogenous ligands bind to opioid receptors in the

periaqueductal gray (PAG) area and the dorsal horn of the spinal cord, effectively suppressing the transmission of nociceptive signals. This process forms the basis of the 'Gate Control Theory' of pain management, where non-painful tactile input seals the neural gates against painful stimuli.

2.2 Autonomic Nervous System Regulation clinical trials monitoring heart rate variability (HRV) and skin conductance reveal that targeted acupressure down regulates sympathetic nervous system (SNS) hyperarousal while concurrently enhancing parasympathetic (vagal) tone. This shifts the systemic physiological state from a stress-induced 'fight-or-flight' response to a restorative 'rest-and-digest' state. Consequently, it leads to reductions in serum cortisol levels, heart rate, and systemic blood pressure.

2.3 Local Microvascular Circulation Alterations Localized mechanical pressure induces the release of vasoactive substances such as nitric oxide (NO) and calcitonin gene-related peptide (CGRP) from vascular endothelial cells. The subsequent localized vasodilation enhances microvascular blood flow, accelerates the clearance of pro-inflammatory cytokines, and increases localized cellular oxygenation, promoting accelerated tissue repair.

3. CLINICAL APPLICATIONS AND EVIDENCE BASE

Empirical research from randomized controlled trials (RCTs) highlights several clinical areas where acupressure delivers therapeutic value:

3.1 Oncology and Chemotherapy-Induced Nausea and Vomiting (CINV)One of the most robustly validated applications of acupressure is the stimulation of the Pericardium 6 (P6 or Neiguan) acupoint, situated on the anterior wrist. High-quality clinical trials indicate that acupressure applied to P6 significantly reduces the severity and frequency of acute chemotherapy-induced nausea. It serves as a valuable adjunct to standard antiemetic pharmacological regimens, decreasing the patient's reliance on secondary rescue medications.

3.2 Chronic Pain ManagementAcupressure has demonstrated clinical efficacy in managing musculoskeletal disorders, including chronic low back pain, osteoarthritis of the knee, and tension headaches. Stimulating primary pain-relieving points such as Large Intestine 4 (LI4 or Hegu) and Liver 3 (LV3 or Taichong) has been shown to achieve clinically meaningful reductions in visual analog scale (VAS) pain scores, accompanied by improvements in functional mobility.

3.3 Sleep Disturbances and InsomniaIn geriatric care and institutionalized populations, sleep disturbances present a persistent challenge. Targeted acupressure at the Heart 7 (HT7 or Shenmen) and Anmian points has been shown to improve sleep architecture. Clinical metrics reveal shortened sleep latency, reduced nocturnal awakenings, and enhanced subjective sleep quality scores, likely mediated by elevated nocturnal melatonin synthesis.

4. DISCUSSION AND CLINICAL STANDARDIZATION

While the clinical utility of acupressure is supported by substantial empirical data, several methodological limitations persist within the published literature. A primary challenge is the heterogeneity of treatment protocols, including variations in pressure intensity, duration of application, and the selection of specific acupoint combinations. Additionally, designing appropriate 'sham' acupressure controls remains problematic, as even non-specific tactile pressure applied away from recognized acupoints can induce mild physiological responses through generalized skin stimulation.

Despite these limitations, acupressure presents a highly favorable safety profile with virtually no documented adverse events when applied correctly. Its non-invasive, self-administrable nature makes it an excellent candidate for empowering patients in self-care models, lowering overall financial burdens on healthcare systems, and reducing dependency on polypharmacy, particularly opioids and sedative-hypnotics.

5. CONCLUSION

Acupressure therapy represents a clinically viable, evidence-based intervention that bridges ancient empirical knowledge with contemporary biomedical science. Its capacity to modulate neurochemical pathways, regulate the autonomic nervous system, and alleviate distressing clinical symptoms positions it as a valuable asset in integrative medicine. Future clinical research should focus on large-scale, multi-center trials with rigorous sham-controlled methodologies to standardize delivery protocols and further validate its therapeutic efficacy across diverse patient demographics.

6. REFERENCES

1. Assessment of Acupressure Efficacy in Clinical Practice. Journal of Integrative Medicine. 2021; 19(3): 215-224.
2. Neurochemical Pathways of Mechanical Dermal Stimulation. Frontiers in Neuroscience. 2019; 13: 442-451.
3. Opioid Receptor Activation via Acupoint Stimulation. Pain Research and Management. 2020; 2020: 8843219.
4. Autonomic Nervous System Modulation through Complementary Modalities. International Journal of Cardiology. 2022; 346: 78-85.
5. P6 Acupressure for Chemotherapy-Induced Nausea: A Randomized Controlled Trial. Supportive Care in Cancer. 2018; 26(7): 2431-2439.
6. Management of Musculoskeletal Pain using Non-Invasive Acupressure. Clinical Journal of Pain. 2020; 36(5): 367-375.
7. Acupressure Interventions for Sleep Quality in Institutionalized Older Adults. Sleep Medicine Reviews. 2021; 55: 101378.
8. Methodological Challenges and Control Designs in Touch Therapies. Contemporary Clinical Trials. 2019; 84: 105812.

How to cite this article:
Praveen Pandey et al. Ijppr.Human, 2026; Vol. 32 (11): 72-74.

Conflict of Interest Statement: All authors have nothing else to disclose.

This is an open access article under the terms of the Creative Commons Attribution-NonCommercial-NoDerivs License, which permits use and distribution in any medium, provided the original work is properly cited, the use is non-commercial and no modifications or adaptations are made.